

Your Ref: TC40/12

By Email and Post

Ms [REDACTED]  
NIEA – Regulatory Unit (Water),  
17 Antrim Road,  
Lisburn,  
BT38 3AL.

6<sup>th</sup> April 2017.

[REDACTED]@daera.gov.uk

Dear [REDACTED]

Water (NI) Order 1999  
Water Order Consent CN068/12/2

We refer to your letters dated 16<sup>th</sup> March and 30<sup>th</sup> March 2017. On the basis of the content of the more recent letter, we believe that the request in your letter of 16<sup>th</sup> March is now superseded by the requirements of the Notice dated 30<sup>th</sup> March. On that basis, we confirm that we are not intending to respond to your letter of 16<sup>th</sup> March and if a response is required, please confirm this by return.

In respect of the detail of both letters, we are deeply concerned by the results which you have stated, as the regular sampling which the Company carries out have shown no breaches of the consent limits contained within the Company's Water Order Consent. In those circumstances, we would seek an urgent meeting to discuss these results and confirm that we would be available to meet at short notice. We will contact NIEA tomorrow to confirm a suitable date.

You will appreciate that we want to have this matter addressed without delay and we look forward to working with NIEA on achieving a prompt resolution.

Yours sincerely,

[REDACTED]

[REDACTED]  
Managing Director